

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	386	((data or attribut\$ or entity) near type) same (database\$ or table) same cell	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/20 08:53
L2	62132	((data or attribut\$ or entity) near (type or class\$4)) and (id or identif\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/20 08:53
L3	141	L2 and L1 and @ad<"20000603"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/20 08:53
L4	32	L3 and ((link\$3 or synapse or transmutation) with cell)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/20 08:53
L5	6	L4 and (cell near format\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/20 08:55
L6	0	L4 and (link\$3 near cell near format\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/20 08:55
L7	1	L4 and (link\$3 with cell with format\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/20 09:14
L8	2	("5598519").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/20 09:33

## EAST Search History

L9	2	("5231577").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/20 09:33
S1	55936	((data or attribut\$ or entity) near type) and (id or identif\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/20 05:48
S2	386	((data or attribut\$ or entity) near type) same (databases\$ or table) same cell	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/20 05:35
S3	336	S1 and S2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/20 05:36
S4	141	S3 and @ad<"20000603"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/20 05:48
S5	32	S4 and ((link\$3 or synapse or transmutation) with cell)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/20 05:48
S6	6	S4 and ((link\$3 or synapse or transmutation) near cell)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/20 05:38
S7	12	S5 and (cell with format\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/20 05:49

## EAST Search History

S8	62132	((data or attribut\$ or entity) near (type or class\$4)) and (id or identif\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/20 05:48
S9	141	S8 and S2 and @ad<"20000603"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/20 05:48
S10	32	S9 and ((link\$3 or synapse or transmutation) with cell)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/20 08:53
S11	12	S10 and (cell with format\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/20 05:49

[Sign in](#)



[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Local](#) [more »](#)

"data type" class format cell identification

[Search](#)

[Advanced Search](#)  
[Preferences](#)

**Web**

Results 1 - 10 of about 191,000 for **"data type" class format cell identification** . (0.47 seconds)

### ValueType Hierarchy (System)

The following table lists the **classes** derived from System. ... NET Framework

String **data type**. String always uses the default CultureInfo from the current ...

msdn2.microsoft.com/en-us/library/d2wazh93(VS.80).aspx - 78k -

[Cached](#) - [Similar pages](#)

### Data Types :: Functions -- By Category (MATLAB Functions)

Access Java **classes** through MATLAB interface. **Data Type**

**Identification** ... isa,

Determine whether input is object of given **class** (eg, **cell**) ...

www.mathworks.com/access/helpdesk/help/techdoc/ref/func\_b30.html

- 32k - [Cached](#) - [Similar pages](#)

### Data Editor

Simply leave the **cell** blank if the income data is missing. f. Column Formats.

The column **format** for the data editor has been set automatically to the width ...

web.uccs.edu/lbecker/SPSS/dataeditor.htm - 54k -

[Cached](#) - [Similar pages](#)

### [doc] Multimedia Messaging Service (MMS): Media formats and codecs

File Format: Microsoft Word - [View as HTML](#)

The Scalable Polyphony MIDI (SP-MIDI) content **format** defined in Scalable ...

**cell** size under given criteria:. • Type of service (**data type** and speed) ...

www.uom.ac.mu/.../1534/LectureNotes/Communication%

20Networks%20/ UMTSMultimedia%20Messaging%20Service7.doc -

[Similar pages](#)

### Brazilian Amazon Fire Frequency Data in Raster Format

Data Set **Identification**:. Brazilian Amazon Fire Frequency Data in Raster **Format**.

Data Set Introduction:. This data set contains a) weekly cumulative fire ...

www.whrc.org/southamerica/LBAData/Amaz\_Fire.htm - 42k -

[Cached](#) - [Similar pages](#)

### 210 center Data format: Coordinate system: Theme keywords ...

File Format: Unrecognized - [View as HTML](#)

#uniqueID(this) Resource **Identification** Information ... **Data type**: class codelist enumeration codelist element abstract **class** aggregate **class** specified **class** ...

www.esri.com/metadata/iso.xsl - [Similar pages](#)

Sponsored Links

### Mortgage Leads >

Real-time and Fresh

Sold Max 2 Lenders

www.nrleads.com

### Adult Friend Finder

Make new friends, find the hottest singles, wildest couples and groups

www.adult.friendfinder.com

### Template

Generate high quality documents

for print, fax, email, web delivery

www.Adobe.com/DocumentGeneration

### IWS Biometric Engine

Enroll, manage & search multiple

biometrics to confirm identities.

www.iwsinc.com/Biometrics

### RFID Solutions

For all indoor/outdoor applications

See our Custom Smart Mark line!

www.fricknet.com

### Data type

DataDirect Driver - No Clients Req.

Oracle, DB2, SQL Server, Sybase

www.datadirect.com/net

### SQL Tool for Developers

Write SQL Code for All Major

DB Platforms With a Single Tool

www.Embarcadero.com

### NetBadge Online ID Badges

Secure ID Cards, Comp's. w/ many

locations, Police/fire, Service Ind

www.beresfordco.com

FAO-UN GeoNetwork - Spatial Data and Information

**Cell geometry, identification of grid data as point or cell ... Format,**  
description of the computer language construct that specifies the representation of ...  
[www.fao.org/geonetwork/srv/en/help.metadata](http://www.fao.org/geonetwork/srv/en/help.metadata) - 77k - [Cached](#) - [Similar pages](#)

formats

**data type** : integer, Type of field (integer, real, string). **format** : 0, Field **format**  
code (unused). field 1 : biomass, Field definition ...  
[www.ngdc.noaa.gov/seg/cdroms/ged\\_jia/html/formats.htm](http://www.ngdc.noaa.gov/seg/cdroms/ged_jia/html/formats.htm) - 32k - [Cached](#) - [Similar pages](#)

Knowledge Base: ArcSDE Overview

Spatial index grid **cell** sizes. Envelope (mix,miny,maxx,maxy). ArcSDE internal ID.  
Feature **class** description. Statistics on feature **class** shapes for data ...  
[www.metrokc.gov/gis/kb/Content/ArcSDE.htm](http://www.metrokc.gov/gis/kb/Content/ArcSDE.htm) - 45k - [Cached](#) - [Similar pages](#)

DTP Data Warehouse Model - Relational Database Tables

DATATYPEDESCRIPTION - explanation of what this **data type** is meant to contain ...  
This table lists the **cell** line **identification** systems known to the database ...  
[dtp.nci.nih.gov/dw/database/warehouse\\_tables.html](http://dtp.nci.nih.gov/dw/database/warehouse_tables.html) - 43k - [Cached](#) - [Similar pages](#)

Try your search again on [Google Book Search](#)

Google

Result Page:    1 2 3 4 5 6 7 8 9 10    **Next**

New! Crack the Code: [Play the Da Vinci Code Quest on Google.](#)

"data type" class format cell identific    **Search**

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google